



THIS DOCUMENT, INCLUDING THE DRAWING AND INFORMATION CONTAINED THEREON, IS CONFIDENTIAL AND IS THE EXCLUSIVE PROPERTY OF EATON CORPORATION, AND IS MERELY ON LOAN AND SUBJECT TO RECALL BY EATON AT ANY TIME, BY TAKING POSSESSION OF THIS DOCUMENT. THE RECIPIENT ACKNOWLEDGES AND AGREES THAT THIS DOCUMENT CANNOT BE USED IN ANY MANNER ADVERSE TO THE INTERESTS OF EATON AND THAT NO PORTION OF THIS DOCUMENT MAY BE COPIED OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF EATON. IN THE CASE OF CONFLICTING CONTRACTUAL PROVISIONS, THIS NOTICE SHALL GOVERN THE STATUS OF THIS DOCUMENT.

©2016 Eaton Corporation, All Rights Reserved.



RELAY/C.B. COVER SHOWN

—NUT
(SEE PART # CODE)

—STUD CAP
(SEE PART # CODE)



1530X - X - X - X X

– CUSTOM MARKING (OMIT FROM PART #)
CONSULT FACTORY

- 0 - NO COVER
- 3 - FUSE COVER
- 4 - RELAY/C.B. COVER

- 0 - NO NUTS
- 1 - NUTS (SHIPPED BULK)
- 2 - NUTS (SHIPPED ASSEMBLED)
- 3 - STUD CAPS (SHIPPED BULK)
- 4 - STUD CAPS (SHIPPED ASSEMBLED)
- 5 - NUTS AND STUD CAPS (SHIPPED BULK)
- 6 - NUTS AND STUD CAPS (SHIPPED ASSEMBLED)

- 1 - FUSE/C.B. BASE (FOR 20 FUSE/C.B.) (SEE FIGURE 1, SHEET 2)
- 2 - MICRO RELAY BASE (FOR 5 MICRO RELAYS W/ 10 FUSES/C.B.) (SEE FIGURE 2, SHEET 2)
- 3 - MINI RELAY BASE (FOR 3 MINI RELAYS W/10 FUSES/C.B.) (SEE FIGURE 2, SHEET 2)
- 4 - WIRED BASE (NON BUSSED) (NO INPUT STUDS) (FOR FUSES /C.B AND RELAYS) (SEE FIGURE 3, SHEET2)
- 5 - WIRED BASE (INPUT STUD FUSE SIDE ONLY) (FOR FUSES /C.B AND RELAYS) (SEE FIGURE 4, SHEET2)
- 6 - WIRED BASE (INPUT STUD RELAY SIDE ONLY) (FOR FUSES /C.B AND RELAYS) (SEE FIGURE 5, SHEET2)

5 - # 10-32 BRASS INSERT (ENGLISH)
6 - M5X0.8 TIN COATED INSERT (METRIC)



CPCD - TRANSPORTATION
TUALATIN, OR

UNLESS OTHERWISE SPECIFIED DIMENSIONS IN			
INCHES		[MILLIMETERS]	
X.X	±0.1	X	±3
X.XX	±0.02	X.X	±0.5
X.XXX	±0.005	X.XX	±0.13
	X°		±1
	X.X°		±0.5



CAPSULE AROUND DIMENSION
INDICATES INCOMING INSPECTION
REQUIRED



INDICATES CRITICAL CHARACTERISTIC
(MUST MEET CPK REQUIREMENTS)

DRAWING IN ACCORDANCE WITH
ASME Y14.100 - 2013
ASME Y14.1M - 2012
STANDARDS COMPLIANCE

MATERIAL:N/A

FINISH: N/A

RELATED DOCUMENT:HIGH LVL ASSY

ENG/MFG REFERENCE

DRAFTER/DESIGNER

Albert Luu

DATE(YYYY/MM/DD)

2016/08/11

D)	TITLE
----	-------

1 E

RTMR SALES DRAWING

SIZE	B
------	---

E	DRAWING NUMBER
----------	---------------------------

1530X-X-X-X-SALES

REVISION
A

THIRD ANGLE PROJECT

The symbol consists of a truncated cone on the left and its end view (a circle with a cross) on the right, connected by a horizontal line. A dashed line indicates the hidden part of the cone.

PLANT CODE	
------------	--

CLASS CODE

	SCALE
--	--------------

SHEET
1 OF 3

EATON CORPORATION - CONFIDENTIAL AND PROPRIETARY
NOTICE TO PERSONS RECEIVING THIS DOCUMENT AND/OR TECHNICAL INFROMATION



THIS DOCUMENT, INCLUDING THE DRAWING AND INFORMATION CONTAINED THEREON, IS CONFIDENTIAL AND IS THE EXCLUSIVE PROPERTY OF EATON CORPORATION, AND IS MERELY ON LOAN AND SUBJECT TO RECALL BY EATON AT ANY TIME, BY TAKING POSSESSION OF THIS DOCUMENT. THE RECIPIENT ACKNOWLEDGES AND AGREES THAT THIS DOCUMENT CANNOT BE USED IN ANY MANNER ADVERSE TO THE INTERESTS OF EATON AND THAT NO PORTION OF THIS DOCUMENT MAY BE COPIED OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF EATON. IN THE CASE OF CONFLICTING CONTRACTUAL PROVISIONS, THIS NOTICE SHALL GOVERN THE STATUS OF THIS DOCUMENT.

©2016 Eaton Corporation, All Rights Reserved.

REVISIONS				
REV.	DESCRIPTION	ECO NO	DATE	ECO BY
-	See Sheet1	-	-	-

**FOR TERMINAL REMOVAL USING
DELPHI TOOL PART # 12094430**



FIGURE 1



**1530X-1-X-X
FUSE BASE**

SCALE 2:3 (ALL VIEWS)



FIGURE 2



**1530X-2-X-X
1530X-3-X-X
MICRO/MINI BASE**



PIN 86 BUSSED

FIGURE 3





**1530X-4-X-X
WIRED BASE
(NO POWER BUSS)**

FIGURE 4



**1530X-5-X-X
WIRED BASE
(FUSE SIDE BUSS)**

FIGURE 5



**1530X-6-X-X
WIRED BASE
(RELAY SIDE BUSS)**

PIN 86 BUSSED



CPCD - TRANSPORTATION
TUALATIN, OR

UNLESS OTHERWISE SPECIFIED DIMENSIONS IN			
INCHES		[MILLIMETERS]	
X.X	±0.1	X	±3
X.XX	±0.02	X.X	±0.5
X.XXX	±0.005	X.XX	±0.13
X°	±1		
X.X°	±0.5		



CAPSULE AROUND DIMENSION
INDICATES INCOMING INSPECTION
REQUIRED



INDICATES CRITICAL CHARACTERISTIC
(MUST MEET CPK REQUIREMENTS)

DRAWING IN ACCORDANCE WITH
ASME Y14.100 - 2013
ASME Y14.1M - 2012
STANDARDS COMPLIANCE

MATERIAL:N/A

FINISH:N/A

RELATED DOCUMENT:HIGH LVL ASSY

ENG/MFG REFERENCE

DRAFTER/DESIGNER

Albert Luu

DATE(YYYY/MM/DD)

2016/08/11

ENGINEERING APPROVED

MANUFACTURING

CHANGE RESPONSIBILITY

Tualatin

ECO No

106950

TITLE

RTMR SALES DRAWING

SIZE
B

DRAWING
NUMBER

1530X-X-X-X-SALES

REVISION
A

THIRD ANGLE PROJECTION



PLANT CODE

CLASS CODE

SCALE

SHEET

3

1:2

2 OF 3

THIS DOCUMENT, INCLUDING THE DRAWING AND INFORMATION CONTAINED THEREON, IS CONFIDENTIAL AND IS THE EXCLUSIVE PROPERTY OF EATON CORPORATION, AND IS MERELY ON LOAN AND SUBJECT TO RECALL BY EATON AT ANY TIME, BY TAKING POSSESSION OF THIS DOCUMENT. THE RECIPIENT ACKNOWLEDGES AND AGREES THAT THIS DOCUMENT MAY BE COPIED OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF EATON. IN THE CASE OF CONFLICTING CONTRACTUAL PROVISIONS, THIS NOTICE SHALL GOVERN THE STATUS OF THIS DOCUMENT.

©2016 Eaton Corporation, All Rights Reserved.

THE TABLES BELOW ARE FOR REFERENCE ONLY, AND IS SUBJECT TO CHANGES BY DELPHI PACKARD.




SCALE 2:1

DELPHI TERMINALS, CABLE SEALS, CAVITY PLUGS AND TERMINAL REMOVAL TOOL SHOWN ARE NOT PROVIDED BY EATON.

SCALE 2:1

SCALE 2:1

- NOTES:**
1. MOUNTING TORQUE:
THREADED INSERTS (#10-32 UNF) OR (M5X0.8): 18±2 IN-LBS (22 IN-LBS MAX).
INPUT STUDS (M6X1): 40±5 IN-LBS (50 IN-LBS MAX).
 2. HOUSING: 94V0 THERMOPLASTIC.
 3. INTERNAL BUS BAR: TIN PLATED COPPER.
 4. DIMENSIONS PROVIDED ARE FOR REFERENCE ONLY.
 5. IP RATING: IP66, VALID WHEN COVER, SEALED TERMINALS AND PLUGS ARE PROPERLY INSTALLED.
 6. TERMINAL REMOVAL TOOL: DELPHI PART # 12094430



UNLESS OTHERWISE SPECIFIED DIMENSIONS IN			
INCHES		[MILLIMETERS]	
X.X	±0.1	X	±3
X.XX	±0.02	X.X	±0.5
X.XXX	±0.005	X.XX	±0.13
	X°		±1
	X.X°		±0.5



DRAWING IN ACCORDANCE WITH
ASME Y14.100 - 2013
ASME Y14.1M - 2012
STANDARDS COMPLIANCE

FINISH: N/A

RELATED DOCUMENT:HIGH LVL ASSY

ENG/MFG REFERENCE

Albert Luu

ENGINEERING APPROVED

CHANGE RESPONSIBILITY
Tualatin

2016/08/11

ENGINEERING APPROVED

ECO No	
--------	--

1	
---	--

SIZE B	DRAWING NUMBER	1530X-X-X-X-SALES
-----------	-------------------	-------------------

THIRD ANGLE PROJECTION

CLASS CODE	3
------------	---

SCALE
1:2

REVISION
A

SHEET
3 OF 3