

Aptiv/Delphi Terminal Number	Description	Best	Better	Core Crimp		0.35	0.5	0.8	1.0	2.0	3.0	5.0	Insulation/Seal Crimp					3.0	5.0
		Sargent Crimp Tool Number	Sargent Crimp Tool Number										0.35	0.5	0.8	1.0	2.0		
15359143	100 040 II series female unsealed 0.3 - 0.5 mm²	3187 CT	3305 MPCT	E	E								C	C					
15355438	100 040 II series female unsealed 0.3 - 0.5 mm²	3187 CT	3305 MPCT	E	E								C	C					
15443788	100 040 II series female unsealed 0.3 - 0.5 mm²	3187 CT	3305 MPCT	E	E								C	C					
15355486	100 040 II series male unsealed 0.3 - 0.5 mm²	3187 CT	3305 MPCT	C/E	C/E								C	C					
12066638	280 LP Socket sealed 0.80 - 0.50 mm²	3186 CT	3306 MPCT		2	2	2							5	5	5			
12177068	280 Mini-Timer female unsealed 0.5 - 1.0 mm²	3187 CT	3305 MPCT		E	C	C							A	A	A			
12177069	280 Mini-Timer female unsealed 1.5 - 2.5 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT				4	A	A							1	D	D	
12124515	56 series female unsealed 1.0 - 2.0 mm²	3187 CT	3305 MPCT		C	C	C	A	A					D	D	D	D		
2971962	56 series long male unsealed 3.0 - 2.5 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				A	F	F							F	G	G	
2973216	59 series straight female	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT			C	C	F	F						B	B	F	G	
12160776	Ducon 0.64 Micro .64 female 1.4 - 1.2 mm²	3187 CT	3305 MPCT	E	E	E							C	C	C				
12158098	Ducon 2.8 female sealed 1.0 - 0.5 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT		E	E	C	C						1	1	1	5		
12147451	Ducon 2.8 female unsealed 1.0 - 0.5 mm²	3187 CT	3305 MPCT		C	C	C	C						A	A	A	A	A	
12147474	Ducon 6.3 female sealed 6.0 - 4.0 mm²	3186 CT / 3190 CT	3306 MPCT / 3104 DSCT				G/F	G/F	G/F	G/F						3	3	3	3
12191818	GT 150 series female sealed 0.5 - 0.35 mm²	3186 CT/ 3187 CT	3306 MPCT/ 3305 MPCT	E	E								A	A					
12191819	GT 150 series female sealed 1.0 - 0.75 mm²	3186 CT/ 3187 CT	3306 MPCT/ 3305 MPCT				2	2	C						A	A	D		
15491972	GT 280 series female sealed 1.0 - 0.75 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2						5	5	5	5			
15304716	GT 280 series female sealed 1.0 - 0.75 mm² 5.2mm dia.	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT		E	2	2	2						1	1	1	1		
15304719	GT 280 series female sealed 1.0 - 0.75 mm² 5.8mm dia	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2						5	5	5	5			
15304717	GT 280 series female sealed 2.0 - 1.5 mm² 5.2mm dia	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT				C	4	A							1	1	1	
15392777	GT 280 series female sealed 4.0 - 5.0 mm²		3306 MPCT / 3305 MPCT						D	B								5	5
15304711	GT 280 series female unsealed 1.0 - 0.75 mm²	3187 CT	3305 MPCT	E	E	C	C						A	A	A	A			
15304728	GT 280 series male sealed 1.0 - 0.75 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT		E	E	2							1	1	1			
15304729	GT 280 series male sealed 2.0 - 1.5 mm² 5.2mm dia	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT				C			4						1	1	1	
15304732	GT 280 series male sealed 3.0 - 1.5 mm² 5.8mm dia	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT					A	A								5	5	
15304722	GT 280 series male unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E	E							C	C	C				
15304724	GT 280 series male unsealed 3.0 - 1.5 mm²	3187 CT	3305 MPCT			C	C								A	A	D	D	
15344769	GT 630 series female sealed 2.0 - 4.0 mm²	3187 CT / 3190 CT	3306 MPCT / 3104 DSCT						F	F	F						3	3	3
15455571	GT 630 series female sealed 3.20 - 2.5 mm²	3187 CT / 3190 CT	3306 MPCT / 3104 DSCT						F	F	F						3	3	3
15410292	GT 630 series male 4.3 - 3.4 mm²	3191 CT	3306 MPCT / 330364 CT							G/F	G/F	G/F					G/I	G/F	G
12124471	LP Socket sealed	3186 CT	3306 MPCT		2	2	2							3	3	3			
12047767	M/P 150 series female sealed 1.0 - 0.80 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2						1	1	1	1			
12048074	M/P 150 series female sealed 1.0 - 0.80 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2						1	1	1	1			
12064971	M/P 150 series female unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E								C	C					
12045773	M/P 150 series male sealed 1.0 - 0.8 mm²	3138 CT	3305 MPCT / 3306 MPCT		E	E	2							1	1	1			
12047581	M/P 150 series male unsealed 1.0 - 0.8 mm²	3187 CT	3305 MPCT	E	E	E	E						C	C	A	A			
12103881	M/P 150 series pull-to-seat female sealed 1.0 - 0.80mm²	3186 CT	3306 MPCT / 3305 MPCT	E	E	E	2						1	1	1	1			
12129484	M/P 150 series tangless female unsealed 1.0 -0.80 mm²	3186 CT	3306 MPCT							4	4						5	5	
12089340	M/P 150.1 series female unsealed 1.00 - 0.75 mm²	3187 CT	3305 MPCT		E	E	E							C	C	C			
12124076	M/P 150.2 series pull-to-seat female sealed 0.5 -0.35 mm²	3187 CT	3305 MPCT	E	E												A	A	
12124075	M/P 150.2 series pull-to-seat female sealed 1.0 - 0.80 mm²	3138 CT	3306 MPCT / 3305 MPCT	E	E	E	2						1	1	1	1			
12186456	M/P 280 ACT series female unsealed 3.0 -2.0 mm²	3187 CT	3305 MPCT / 3104 DSCT					A	F								B	G	
12186457	M/P 280 ACT series female unsealed 1.0 - 0.75 mm²	3187 CT	3305 MPCT	E	E	C	C						C	C	A	A			
12092345	M/P 280 ACT series male unsealed 0.75 - 1.0 mm²	3187 CT	3305 MPCT		C	C	C							A	A	A			
12092344	M/P 280 ACT series male unsealed 3.2 - 2.0 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT					A	F								D	B	
12160643	M/P 280 series female	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT									B							G
12110652	M/P 280 series female Busbar	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A								D	B		
12110657	M/P 280 series female Busbar	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT							F	B							G	G
12077411	M/P 280 series female sealed 1.0 - 0.80 mm²	3186 CT	3306 MPCT	2	2	2	2						5	5	5	5			
12077413	M/P 280 series female sealed 5.0 mm²		3306 MPCT / 3305 MPCT / 3104 DSCT							F	B							5	5
12176387	M/P 280 series female sealed 5.0 mm²		3306 MPCT / 3104 DSCT									F							5
15484100	M/P 280 series female unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E	E	C						C	C	C	A			
12034046	M/P 280 series female unsealed 1.0 - 0.80 mm²	3187 CT	3305 MPCT	E	E	E	C						A	A	A	D			
12066214	M/P 280 series female unsealed 2.0 - 1.0 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F									D	B		
12191475	M/P 280 series female unsealed 5.0 - 3.0 mm²		3306 MPCT / 3104 DSCT				4	A	A	A	A					G	G	G	G
12015858	M/P 280 series female unsealed 5.0 mm²		3305 MPCT / 3104 DSCT							F	B							G	G
12048159	M/P 280 series male sealed 1.0 - 0.8 mm²	3186 CT	3306 MPCT		2	2	2							5	5	5			
12129497	M/P 280 series male sealed 3.0 - 2.0 mm²	3186 CT / 3190 CT	3306 MPCT / 3104 DSCT				2	2	F							5	5	5	
12034047	M/P 280 series male unsealed 1.0 - 0.80 mm²	3187 CT	3305 MPCT	E	E	E	C						A	A	A	D			
12020116	M/P 280 series male unsealed 2.0 - 1.0 mm²	3187 CT	3305 MPCT	C	C	C	C	A					A	A	A	D	D		
12084586	M/P 280 series male unsealed 5.0 mm²		3305 MPCT / 3104 DSCT						F	F	B						G	G	G
12110847	M/P 280 series tangless female sealed 1.0 - 0.80mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT			C	C								5	5			
12110845	M/P 280 series tangless female sealed 3.0 - 2.0mm²	3186 CT / 3187 CT / 3190 CT	3306 MPCT / 3305 MPCT / 3104 DSCT					A	F								5	5	
12110853	M/P 280 series tangless female sealed 5.0 - 3.0mm²		3306 MPCT / 3305 MPCT / 3104 DSCT							F	B							5	5
12110844	M/P 280 series tangless female unsealed 1.0 - 0.80mm²	3187 CT	3305 MPCT	E	E	C	C						C	A	A	A			
12110842	M/P 280 series tangless female unsealed 3.0 - 2.0mm²	3187 CT	3305 MPCT / 3104 DSCT			C	C	A	F	F	F					A	B	G	G
12048451	M/P 480 series female sealed 2.0 - 1.0 mm²	3187 CT / 3190 CT	3306 MPCT / 3104 DSCT				F									3	3		
12191448	M/P 480 series female sealed 2.0 - 1.35 mm²	3187 CT / 3190 CT	3306 MPCT / 3104 DSCT						F	F								3	3
12015860	M/P 480 series female unsealed 0.80 mm²	3187 CT	3305 MPCT		E	C	C							A	A	D			
12124304	M/P 480 series female unsealed 0.80 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A								D	B		
12110063	M/P 480 series female unsealed 3.0 - 2.0mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A								D	D	B	
12084595	M/P 480 series female unsealed 5.0 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT						F	B								G	G
12110064	M/P 480 series male unsealed 3.0 - 2.0mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A	F	F						D	D	B	
12033820	M/P 480 series male unsealed 5.0 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT						F	B							G		G
12020156	M/P 630 series female pull-to-seat 0.8 - 0.50 mm² 18-22 Ga	3187 CT	3305 MPCT		E	C	C							A	D	D			
12033997	M/P 630 series female pull-to-seat sealed 5.0 - 3.0 mm²	3186 CT / 3187 CT / 3190 CT	3306 MPCT / 3305 MPCT / 3104 DSCT							F	B							5	5
12066614	M/P 630 series female pull-to-seat sealed 5.0 - 3.0 mm²	3186 CT / 3187 CT / 3190 CT	3306 MPCT / 3305 MPCT / 3104 DSCT							F	B							5	5
15305232	M/P 630 series female sealed 5.0 - 3.0 mm²	3186 CT / 3187 CT / 3190 CT	3306 MPCT / 3305 MPCT / 3104 DSCT							F	B							3	3
12015869	M/P 630 series female unsealed 0.80 - 0.50 mm²	3187 CT	3305 MPCT		E	C	C							A	A	D			
12015870	M/P 630 series female unsealed 2.0 - 1.0 mm²	3187 CT	3305 MPCT				C	A								D			
12103325	M/P 630 series female unsealed 2.0 - 3.0 mm²	3187 CT	3305 MPCT					A	A								B	B	
12084596	M/P 630 series female unsealed 3.0 mm²	3186 CT / 3190 CT	3306 MPCT / 3104 DSCT						G/F	G/F								3/G	3/G
12084590	M/P 630 series female unsealed 5.0 mm²		3305 MPCT / 3104 DSCT						F	B									

Aptiv/Delphi Terminal Number	Description	Best	Better	Core Crimp							Insulation/Seal Crimp						
		Sargent Crimp Tool Number	Sargent Crimp Tool Number	0.35	0.5	0.8	1.0	2.0	3.0	5.0	0.35	0.5	0.8	1.0	2.0	3.0	5.0
2984375	Ring Terminal - unsealed straight 5mm	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				A	F	F					D	G	G	
2984172	Ring Terminal - unsealed straight 6mm	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				A	F	F					D	G	G	
1839906	Splice Clip - Unsealed	3190 CT	3104 DSCT				G	G	G								
5297428	Splice Clip - Unsealed	3190 CT	3104 DSCT	F	F	F											
12089188	W/P female sealed 0.8 - 0.5mm mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT		E	E	C				5	5	5				
15408312	W/P female sealed 0.8 - 0.5mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT		E	E	C				5	5	5				
12124580	W/P female sealed 2.0-1.0 mm²	3186 CT	3306 MPCT				2	2	4					5	5	5	
12124581	W/P female sealed 3.0 mm²	3186 CT	3306 MPCT				2	2	4					5	5	5	
12089040	W/P male sealed 0.80 - 0.50 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT		E	E	C				5	5	5				
12124582	W/P male sealed 2.0 - 1.0mm²	3186 CT	3306 MPCT				2	2	4					5	5	5	
12066639	280 LP Socket sealed 2.0 - 1.0 mm²	3186 CT / 3190 CT	3306 MPCT / 3104 DSCT				F							3	3		
12198102	DS 280 female sealed 1.0 - 0.50 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT		E	E	C	C			1	1	1	1	5		
12157739	DS 280 male unsealed 1.0 - 0.50 mm²	3187 CT	3305 MPCT		2	2	2	2			A	A	A	A	A		
12131423	Ducon 0.8 female unsealed 1.0 - 0.5 mm²	3187 CT	3305 MPCT		C	C	C	C			A	A	A	A	A		
12131423	Ducon 0.8 female unsealed 1.0 - 0.5 mm²	3187 CT	3305 MPCT		C	C	C	C			A	A	A	A	A		
10717928	Ducon 0.8 male unsealed 1.0 - 0.5 mm²	3187 CT	3305 MPCT		C	C	C	C			A	A	A	A	A		
15327159	Ducon 0.8 male unsealed 1.0 - 0.5 mm²	3187 CT	3305 MPCT		C	C	C	C			A	A	A	A	A		
12158097	Ducon 1.5 female sealed 1.0 - 0.5 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT		E	E	C	C			1	1	1	1	5		
12158097	Ducon 1.5 female sealed 1.0 - 0.50 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT		E	E	C	C			1	1	1	1	5		
12147302	Ducon 1.5 female unsealed 1.0 - 0.5 mm²	3187 CT	3305 MPCT		C	C	C	C			A	A	A	A	A		
12147302	Ducon 1.5 female unsealed 1.0 - 0.5 mm²	3187 CT	3305 MPCT		C	C	C	C			A	A	A	A	A		
12158104	Ducon 1.5 male sealed 1.0 - 0.50 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT		E	E	C	C			1	1	1	1	5		
12147299	Ducon 1.5 male unsealed 1.0 - 0.5 mm²	3187 CT	3305 MPCT		C	C	C	C			A	A	A	A	A		
12147299	Ducon 1.5 male unsealed 1.0 - 0.5 mm²	3187 CT	3305 MPCT		C	C	C	C			A	A	A	A	A		
12158104	Ducon 2.8 male sealed 1.0 - 0.5 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT		E	E	C	C			1	1	1	1	5		
12147400	Ducon 2.8 male unsealed 1.0 - 0.5 mm²	3187 CT	3305 MPCT		C	C	C	C			A	A	A	A	A		
12185009	Ducon 4.8 female sealed 1.0 - 0.50 mm²	3138 CT	3306 MPCT / 3305 MPCT		2	2					4	4	4	4	A		
10717927	Ducon 4.8 female sealed 6.0 - 4.0 mm²	3186 CT / 3190 CT	3306 MPCT / 3104 DSCT				G/F	G/F	G/F	G/F				3	3	3	3
12185227	Ducon 4.8 female unsealed 1.0 - 0.50 mm²	3187 CT	3305 MPCT		C	C	C	C			A	A	A	A	A		
12185235	Ducon 4.8 male sealed 1.0 - 0.50 mm²	3186 CT	3306 MPCT		2	2	2	2			4	4	4	4			
10724435	Ducon 4.8 male sealed 6.0 - 4.0 mm²	3186 CT / 3190 CT	3306 MPCT / 3104 DSCT				G/F	G/F	G/F	G/F				3	3	3	3
15344631	Ducon 6.3 male sealed 6.0 - 4.0 mm²	3186 CT / 3190 CT	3306 MPCT / 3104 DSCT				G/F	G/F	G/F	G/F				3	3	3	3
15305350	GT 150 series female sealed 1.0 - 0.75 mm²	3186 CT/ 3187 CT	3306 MPCT/ 3305 MPCT				2	C					A	A	D		
12191811	GT 150 series female unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E	E	C				C	C	C	C	A		
12191811	GT 150 series female unsealed 0.5 -0.35 mm²	3187 CT	3305 MPCT	E	E	E	C				C	C	C	C	C		
12191812	GT 150 series female unsealed 1.0 - 0.75 mm²	3187 CT	3305 MPCT	E	E	C	C				A	A	A	A	A		
12191812	GT 150 series female unsealed 1.0 - 0.75mm²	3187 CT	3305 MPCT	E	E	C	C				A	A	A	A	A		
15323268	GT 150 series male sealed 0.5 - 0.35 mm²	3186 CT/ 3187 CT	3306 MPCT/ 3305 MPCT	E	E						A	A					
15326268	GT 150 series male sealed 0.5 - 0.35 mm²	3186 CT/ 3187 CT	3306 MPCT/ 3305 MPCT	E	E						A	A					
15323269	GT 150 series male sealed 1.0 - 0.75 mm²	3186 CT/ 3187 CT	3306 MPCT/ 3305 MPCT			2	2	C					A	A	D		
15304701	GT 150 series male unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E	E	C				C	C	C	A			
15304702	GT 150 series male unsealed 1.0 - 0.75 mm²	3187 CT	3305 MPCT	E	E	C	C				A	A	A	A			
15304715	GT 280 series female sealed 0.5 - 0.35 mm² 5.2mm dia.	3186 CT/ 3187 CT	3306 MPCT/ 3305 MPCT	E	E						A	A					
15304718	GT 280 series female sealed 0.5 - 0.35 mm² 5.8mm dia	3186 CT/ 3187 CT	3306 MPCT/ 3305 MPCT	E	E						A	A					
15304720	GT 280 series female sealed 3.0 - 1.5 mm² 5.8mm dia	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT					A	A						5	5	
15304710	GT 280 series female unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E	E	C				C	C	C	A			
15304712	GT 280 series female unsealed 3.0 - 1.5 mm²	3187 CT	3305 MPCT			C	C	C	A				A	A	D	D	
15304727	GT 280 series male sealed 0.5 - 0.35 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT						D	B						5	5
15304730	GT 280 series male sealed 0.5 - 0.35 mm² 5.8mm dia	3186 CT/ 3187 CT	3306 MPCT/ 3305 MPCT	E	E						A	A					
15304731	GT 280 series male sealed 1.0 - 0.75 mm² 5.8mm dia	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2				5	5	5	5			
15304723	GT 280 series male unsealed 1.0 - 0.75 mm²	3187 CT	3305 MPCT	E	E	C	C				A	A	A	A			
15344768	GT 630 series female 4.3 - 3.4 mm²	3191 CT	3306 MPCT / 330364 CT					G/F	G/F	G/F					G/1	G/F	G
12084200	M/P 150 series female sealed 0.5 - 0.35 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2				1	1	1	1			
12160222	M/P 150 series female sealed 0.5 -0.35 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2				1	1	1	1	1		
12160223	M/P 150 series female sealed 1.0 - 0.80 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2				1	1	1	1	1		
12077628	M/P 150 series male sealed 0.5 - 0.35 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2				1	1	1	1			
12059894	M/P 150 series male unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E						C	C					
12110236	M/P 150 series pull-to-seat female sealed 0.80mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2				1	1	1	1			
12089290	M/P 150 series pull-to-seat female sealed 0.5 - 0.35 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2				1	1	1	1			
12129373	M/P 150 series tangless female unsealed 0.5 -0.35 mm²	3187 CT	3305 MPCT	E	E						C	C					
12103360	M/P 150.2 series pull-to-seat female sealed 0.5 -0.35 mm²	3186 CT / 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2				1	1	1	1			
12161184	M/P 150.2 series pull-to-seat female sealed 1.0 - 0.80 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT	E	E	E	2				1	1	1	1			
12077939	M/P 280 series female pull-to-seat sealed 1.0 -0.80 mm²	3186 CT	3306 MPCT	2	2	2	2				5	5	5	5			
12084201	M/P 280 series female sealed 0.5 - 0.35 mm²	3186 CT/ 3187 CT	3306 MPCT/ 3305 MPCT	E	E						A	A					
12176389	M/P 280 series female sealed 1.0 - 0.80 mm²	3186 CT	3306 MPCT	2	2	2	2				5	5	5	5			
12129493	M/P 280 series female sealed 3.0 - 2.0 mm²	3186 CT / 3190 CT	3306 MPCT / 3104 DSCT				2	2	F					5	5	5	
12176388	M/P 280 series female sealed 3.0 - 2.0 mm²	3186 CT / 3190 CT	3306 MPCT / 3104 DSCT				2	2	F					5	5	5	
12052217	M/P 280 series female unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E	E	C				C	C	C	A			
12162596	M/P 280 series female unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E	E	C				C	C	C	A			
12162595	M/P 280 series female unsealed 1.0 - 0.80 mm²	3187 CT	3305 MPCT	E	E	E	C				A	A	A	D			
12129494	M/P 280 series female unsealed 3.0 -2.0 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A	F					D	D	B	
12162597	M/P 280 series female unsealed 3.0 -2.0 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A	F					D	D	B	
12124977	M/P 280 series male sealed 0.5 - 0.35 mm²	3186 CT / 3190 CT	3306 MPCT/ 3305 MPCT	E	E						A	A					
12048254	M/P 280 series male sealed 5.0 mm²		3306 MPCT / 3104 DSCT							F							5
12020782	M/P 280 series male unsealed 0.35 mm²	3187 CT	3305 MPCT	E							C						
12066271	M/P 280 series male unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E	E	C				C	C	C	A			
12129498	M/P 280 series male unsealed 3.0 - 2.0mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A	F					D	D	B	
15304713	M/P 280 series male unsealed 5.0 mm²		3305 MPCT / 3104 DSCT					F		B						G	G
12110846	M/P 280 series tangless female sealed 0.5 -0.35 mm²	3186 CT/ 3187 CT	3306 MPCT/ 3305 MPCT	E	E						A	A					
12129409	M/P 280 series tangless female sealed 2.0 - 1.0 mm²	3187 CT / 3190 CT	3306 MPCT / 3104 DSCT				F							3	3		
12129061	M/P 280 series tangless female unsealed 0.35 mm²	3187 CT	3305 MPCT	E							C						
12110843	M/P 280 series tangless female unsealed 0.50 - 0.35mm²	3187 CT	3305 MPCT	E	E	E	C				C	C	C	A			
12129424	M/P 280 series tangless female unsealed 2.0 - 1.0 mm²	3186 CT / 3190 CT	3306 MPCT / 3104 DSCT				F							3	3		
12129663	M/P 280 series tangless female unsealed 3.0 mm²	3187 CT	3305 MPCT / 3104 DSCT				F	A	F					D	D	B	
12129425	M/P 280 series tangless female unsealed 5.0 mm²		3305 MPCT / 3104 DSCT					F		B						G	G
12048450	M/P 480 series female sealed 0.8 - 0.50 mm²	3186 CT/ 3187 CT	3306 MPCT / 3305 MPCT		E	C	C					3	3	3			
12052139	M/P 480 series female sealed 5.0 - 3.0 mm²		3306 MPCT / 3305 MPCT / 3104 DSCT					F		B						5	5
12052219	M/P 480 series female unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E	E	C				C	C	C	A			
12020366	M/P 480 series female unsealed 1.0-0.8 mm²	3															

		Best	Better	Core Crimp								Insulation/Seal Crimp					
Aptiv/Delphi Terminal Number	Description	Sargent Crimp Tool Number	Sargent Crimp Tool Number	0.35	0.5	0.8	1.0	2.0	3.0	5.0	0.35	0.5	0.8	1.0	2.0	3.0	5.0
12020125	M/P 630 series male unsealed 1.0 - 0.8 mm²	3187 CT	3305 MPCT	E	E	E	C				A	A	A	D			
12020365	M/P 630 series male unsealed 3.0 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A	F					D	D	B	
12052826	M/P 630 series male unsealed 5.0 mm²		3305 MPCT / 3104 DSCT						F	B						G	G
12124559	M/P 630 series relay female unsealed 0.80 - 0.5 mm²	3187 CT	3305 MPCT		E	C	C					A	A	D			
12015865	M/P 630 series relay female unsealed 2.0 - 1.0 mm²	3187 CT	3305 MPCT				C	A						D	D		
12052227	M/P 630 series relay female unsealed 3.0 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A	F					D	D	B	
12084588	M/P 630 series relay female unsealed 5.0 mm²		3305 MPCT / 3104 DSCT						F	B						G	G
12015864	M/P 630 series relay female unsealed1.0 - 0.80 mm²	3187 CT	3305 MPCT	E	E	E	C				A	A	A	D			
12092444	M/P 800 series female unsealed 3.0 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A	F					D	D	B	
12092445	M/P 800 series female unsealed 5.0 mm²		3305 MPCT / 3104 DSCT						F	B						G	G
12110127	M/P 800 series female unsealed 5.0 mm²		3305 MPCT / 3104 DSCT						F	B						G	G
12146448	Mic/P 100 female unsealed 1.0 - 0.80 mm²	3187 CT	3305 MPCT	E	E	E	C				A	A	A	D			
12040902	Mic/P 100 series male unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E	E	C				C	C	C	A			
12197559	VF 280 female unsealed 1.0 - 0.50 mm²	3187 CT	3305 MPCT		C	C	C	C				A	A	A	A		
12157735	VF 280 female unsealed 1.0 - 0.5 mm²	3187 CT	3305 MPCT		C	C	C	C				A	A	A	A		
15327398	VF 630 female unsealed 1.0 - 0.50 mm²	3187 CT	3305 MPCT		C	C	C	C				A	A	A	A		
15327399	VF 630 female unsealed 1.0 - 0.50 mm²	3187 CT	3305 MPCT		C	C	C	C				A	A	A	A		
12124587	W/P male sealed range 2.5-3.0 mm²	3186 CT	3306 MPCT				2	2	4					5	5	5	
15336748	M/P 800 series female sealed 5.0 mm²		3306 MPCT / 3104 DSCT							F							3